

Sztaplowanie (tylko model V).
Stacking (only V models).



ACOS 10VN SATYNA O



ACOS 10VN SATYNA O



ACOS 10VN SATYNA O



ACOS 20VN CHROM O



ACOS 20VN CHROM O



ACOS 20VN CHROM O




www.tuv.com
ID: 100000000



ACOS

str. 4-5



2

10V

H 1010 / h 490 / h* 410 / P 680
W 580 / w 510 / O 500 / B 580
D 650 / d 450



10VN

H 1010 / h 490 / h* 410 / P 680
W 560 / w 510 / O 500 / B 560
D 650 / d 450



2

20V

H 920 / h 490 / h* 410 / P 680
W 580 / w 510 / O 500 / B 580
D 650 / d 450




20VN

H 920 / h 490 / h* 410 / P 680
W 560 / w 510 / O 500 / B 560
D 650 / d 450

ARIZ

str. 6-9



5

560V

H 850 / h 480 / h* 440
W 580 / w 460 / O 470 / B 580
D 530 / d 430



5

560V 2P

H 850 / h 480 / h* 440 / P 660
W 610 / w 460 / O 470 / B 580
D 530 / d 430



5

570V

H 860 / h 480 / h* 440
W 580 / w 460 / O 500 / B 580
D 530 / d 420



5

570V 2P

H 860 / h 480 / h* 440 / P 660
W 610 / w 460 / O 500 / B 580
D 530 / d 420

ARIZ

str. 6-9



2

570CV / 575CV

H 1110 / h 730 / h* 690
W 580 / w 460 / O 500 / B 580
D 540 / d 420

BIT

str. 10-13



5

550H / 550H 2P

H 790 / h 450 / h* 440 / P 680
W 560 / w 470 / O 470 / B 470
D 540 / d 430



5

555H / 555H 2P

H 820 / h 450 / h* 440 / P 680
W 560 / w 470 / O 470 / B 470
D 570 / d 450

BIT

str. 10-13



max

Wysokość siedziska
Wysokość siedziska
zmierzona bez obciążenia.

*Wysokość siedziska
zmierzona zgodnie
z normą PN EN 13761.

Seat height
Seat height is measured
without seat burden.

*Seat height measured
according to PN EN 13761
norm.



5

575H / 575H 2P

H 820 / h 480 / h* 460 / P 680
W 560 / w 480 / O 470 / B 470
D 570 / d 440



3

570V / 570V 2P

H 820 / h 490 / h* 460 / P 690
W 550 / w 480 / O 470 / B 500
D 520 / d 420



3

575V / 575V 2P

H 850 / h 490 / h* 460 / P 690
W 550 / w 480 / O 470 / B 500
D 550 / d 440